



### Measurement Conversion Chart



### Stored Grades



### Period Information


^(\*period\_info;Expression;FieldName)

Additional Field Options

Course_Name	Current_Percent;Q1
Course_Number	Section_number
Citizenship	Teacher_Comment
Current Grade;Q1	Room

#### Example:

^(\*period\_info;1(A);teacher\_name)



### School Information

^(schoolname)  
^(schoolabbr)  
^([39]name)  
^([39]schooladdress)  
^([39]schoolcity)  
^([39]schoolstate)  
^([39]schoolzip)  
^([39]schoolphone)  
^([39]schoolfax)  
^([39]Principal)  
^([39]AsstPrincipal)

### Miscellaneous

<tabr 2.0>	^[ip address]
<tabl 2.0>	^[version]
<tabc 2.0>	^[reportname]
<tabd 2.0>	^[pagenumber]
<tabto 2.0>	^[Date]
<moveto 2.0,5.75>	^[Short.Date]
^(age)	^[Letter.Date]
^(age;long)	^[time]

^(field;if.blank. then=)

^(field;if.fieldvalue.XX.then=)

^(field;if.not.blank. then=)

^(abbryearterm)

^(yearabbr)

^(yearname)

^(termabbr)

^(termname)

### Smart Pronouns

^(He/She)  
^(he/she)  
^(His/Hers)  
^(his/hers)  
^(him/her)  
^(Son/Daughter)  
^(son/daughter)

### GPA, Honor Roll, Class Rank

#### GPA Methods

^(\*gpa method="AP honors" term="S1" year="2002")  
 ^(\*gpa method="weighted" type="cumulative" grade="10" credittype="MAT")  
 ^(\*gpa method="weighted" type="cumulative" grade="12" credittype="CORE")

#### Options:

^(\*gpa method="weighted")    ^(\*gpa Grade="10,11")  
 ^(\*gpa type="cumulative")    ^(\*gpa Year="2002")  
 ^(\*gpa Term="S1")            ^(\*gpa Year="2002,2003")  
 ^(\*gpa Term="S1,S2")        ^(\*gpa Grade="10")  
 ^(\*gpa Credittype="Math")    ^(\*gpa Scale="AP")  
 ^(\*gpa Credittype="Math,Sci")

#### Honor Roll Methods

^(\*honorroll method="High School" term="Q3" grade="11" result="gpa")

#### Options:

^(\*gpa Method="HS Honors" Term="S1")  
 ^(\*gpa Method="HS Honors" Term="S1" Grade="10")  
 ^(\*gpa Method="HS Honors" Term="S1" Result="Level")

#### Class Rank

^(\*classrank method="Simple" result="rank")

### Standards

^(\*std.info.name;LA.1.1)  
 ^(\*std.info.desc;LA.1.1)  
 ^(\*std.info.type;LA.1.1)  
 ^(\*std.num;LA.1.1)  
 ^(\*std.stored.avg;LA.1.1;Q1)  
 ^(\*std.stored.high;LA.1.1;Q1)  
 ^(\*std.stored.num;LA.1.1;Q1)  
 ^(\*std.stored.transavg;LA.1.1;Q1)  
 ^(\*std.stored.transhigh;LA1.1;Q1)

### Attendance

^(per.att;P3(R);abs;Q1)  
 ^(per.att;P3(R);abs;9/5/04;12/15/04)

^(attpointsperiod;P3)  
 ^(attpointsperiod;P3(R);abs)  
 ^(attpointsperiod;P3(R);abs;9/12/04;12/15/04)

^(dates.of.attendance;P3)  
 ^(dates.of.attendance;P3(R);abs)  
 ^(dates.of.attendance;P3(R);\*abs;9/14/04;12/15/04;MM/DD/YY)

^(dates.of.attendance;P3(R);br.code)  
 ^(dates.of.attendance;P3(R);br;A)  
 ^(dates.of.attendance;P3(R);br;AXU)  
 ^(dates.of.attendance;P3(R);br;\*abs;Q1)

^(daily.att.count;current;A;S1)  
 ^(daily.att.count;current;A;9/5/04;9/15/04)

^(daily.att.points;all)  
 ^(daily.att.points;current)  
 ^(daily.att.points;current;Tardy,Excused)

^(\*DA;T1)  
 ^(\*DABS;T1)  
 ^(\*DM;T1)

### Decode

^(decode;fieldname;value;replace;value;replace;else)

#### Examples:

^ (decode;^(gender);M;Male;F;Female; )  
 ^ (decode;^(grade\_level);9;Fresh;10;Soph;11;Jun;12;Sen; )

## Test Tags

### Reporting the "First, Last or Best" test scores:

#### First:

^(tests;name=xxx;score=English;which=first;type=num;result=value)

#### Last:

^(tests;name=xxx;score=English;which=last;type=num;result=value)

#### Best:

^(tests;name=xxx;score=English;which=best;type=num;result=value)

### ACT – Best English Score:

Example:

^(tests;name=**ACT**;score=**English**;which=**best**;type=num;result=value)

### SAT – Last Math Score:

Example:

^(tests;name=**SAT**;score=**Math**;which=**Last**;type=num;result=value)

### ACT – First Test Date:

Example:

^(tests;name=**ACT**;which=**first**;type=num;result=**date**)

### SAT – Last Test Date:

Example:

^(tests;name=**SAT**;which=**last**;type=num;result=**date**)

Note: With test codes only First, Last and Best Scores can be reported.

## Class Roster Tags

^(pg.final.grade;Q1)

^(pg.final.percent;Q1)

^(att;abs;Q1)

^(att;tar;Q1)

^(historical;Q1;grade)

^(historical;Q1;percent)

^(historical;Q1;earnedcrhrs)

^([courses]course\_name)

Class roster tags will allow you to pull information, onto the class roster, from any of the following tables: Teachers, Courses, Terms and Schools.

## Credit Hours

^(\*credit\_hours)

^(\*credit\_hours.credit\_type,ENG)

^(\*credit\_hours.credit\_type,MATH)

^(\*credit\_hours;9)

^(\*credit\_hours;9;S1)

^(\*credit\_hours;11,12)

^(\*potential\_credit\_hours)

^(\*potential\_credit\_hours;9)